

REPAIR & MAINTENANCE

INDUSTRIAL APPLICATIONS



MORE THAN PAINT IN A CAN




SprayMax is an aerosol system for professional small damage paint repairs. SprayMax stands for an aerosol repair system using a unique and patented technology. SprayMax aerosols are a new state of the art application tool for coatings which is more efficient and delivers superior results versus conventional aerosols.




AEROSOL FOR MANY INDUSTRIES

- ✓ Patented technologies for 1K and 2K coatings
- ✓ Original paint systems
- ✓ Painting directly on site - fast and easy
- ✓ Process-safe and cost-saving
- ✓ Over 60 years of experience in aerosol technology



TECHNOLOGY



CONSTRUCTION & LOGISTICS

Lift Repair

Given task

Removal of scrape damage on a riser (wet painted/powdered surface)

Our solution

Complete paint repair with SPRAYMAX products

Paint structure

2K epoxy primer, 2K top coat RAL 3000, 1K Spot Blender

The result

Net processing time: approx. 60 min

Including preparation, paint removal and sanding the process time is approx. 2 hours.

After the repair, the riser was ready to be used again immediately on the company's premises.



AUTOMOTIVE & VEHICLE

Fender E-Coat Repair

Given task

Repair of e-coated spots on primed fender (E or powder-coated)

Our solution

2K E-Coat Primer

Paint structure

E-Coat Primer

The result

Dry to touch after approx. 10 min. The part was restored to its original coating condition and ready to be used again.





RAIL INDUSTRY

Railcar Repair

Given task

Removal of old coatings, complete paint delamination

Our solution

Complete paint repair with SPRAYMAX products

Paint structure

2K Wash Primer, 2K Acrylic Filler, 2K Top Coat, 1K Spot Blender

The result

Net processing time: approx. 170 min

Including preparation, paint removal and sanding the process time is approx. 5 hours. The vehicle can therefore be put back into circulation on the same day without longer downtimes.



AGRICULTURE

Agro Equipment Repair

Given task

Removal of larger paint chips from the original coating

Our solution

Complete paint repair with SPRAYMAX products and a bodyfiller

Paint structure

Bodyfiller, 2K Rapid Primer Filler, 1K Unifill, Base Coat OEM colour, 2K Clear Coat, 1K Spot Blender


The result

Net processing time: approx. 60 min

After our repair the vehicle was ready to be used again for agricultural work on the same day.



process video



CONSTRUCTIONS & LOGISTICS

Construction Equipment Repair

Given task

Removal of damaged paint work on a construction vehicle

Our solution

Complete paint repair with SPRAYMAX products

Paint structure

2K Epoxy Primer, 2K OEM Top Coat, 1K Spot Blender

The result

Net processing time: approx. 60 min

After the repair, the vehicle was ready to be used again immediately on the company's premises.



THE ONE WITH THE RED

True 2K technology

The SprayMax 2K technology combines two products in one spray can: paint and activator. The two components are separated by a secondary container inside the spray can.

At the touch of a button, the activator is released and mixed with the paint or primer. SprayMax 2K products deliver durable, high quality results, comparable to a traditional spray gun finish.

BUTTON



✓ All types of hardener systems

- **NISO – Non Isocyanate**
• e.g. 2K Rapid Primer Filler
- **SH – Acid catalyzed**
• e.g. 2K Wash Primer
- **EPOXY – Amin crosslinked**
• e.g. 2K EP Primer Filler
- **PUR – Isocyanate**
• e.g. 2K Topcoats

✓ Always correct ratio

✓ Closed and locked system against oxygen and moisture

✓ Simple way of use

✓ Always longer potlife


✓ No prep and clean

SO EASILY FILLED

Filling of customizable aerosols cans


With the different filling devices and individual aerosol contents, your original paint can be filled quickly and easily as required.

- No cleaning and no waste (FillClean)
- Space-saving
- Pneumatic or manual filling machine available
- Easy to use and very reliable
- For all common 1K/2K coating systems



FillClean pneumatic

- Single-can filling
- Quick product- or paint- can change possible
- Cleaning-free
- Filling capacity/hour: approx. 50-60 cans



FillClean manual

- Single-can filling
- Mobile, manual unit for locations without compressed air and electricity
- Cleaning-free
- Filling capacity/hour: approx. 30-35 cans



Further instructions for operating the FillClean filling device on our website [spraymax.com](https://www.spraymax.com) or on our Youtube channel:

Let's talk.



With our SprayMax product range you can plan your complete repair processes



We create the perfect SprayMax formulation for:

- Your system
- Your label
- Your customers

You can find all our products within our SprayMax catalogue on spraymax.com



Follow us on YouTube for process videos and tips.



**A Brand of the
Peter Kwasny GmbH**
Heilbronner Straße 96
D-74831 Gundelsheim
Phone: +49 62 69 / 95 - 0
Fax: +49 62 69 / 95 80
info@kwasny.de
www.kwasny.com
www.spraymax.com

Peter Kwasny Inc.
62-64 Enter Lane
Islandia, NY 11749
Phone: +1 844-426-6330
Fax: +1 866-226-6434
service@kwasny.us
www.spraymax.com
For orders: Toll free North America
1-844-426-6330 / order@kwasny.us

Peter Kwasny Spraypaint Canada Inc.
2275 Lakeshore Blvd. West, Suite 530
Toronto, ON. M8V 3Y3
Phone: +1 844-426-6330
Fax: +1 866-226-6434
service@kwasny.us
www.spraymax.com
Téléphonez gratuitement en Amérique du Nord:
1-844-426-6330 / order@kwasny.us